

	Hits	Search Text	DBs
1	1	("4813024").PN.	USPAT; USOCR
2	87	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	4	("5410726" "5423044" "5530753" "5675724").PN.	USPAT
4	0	"6047375".URPN.	USPAT
5	1	("4870681").PN.	USPAT; USOCR
6	1	("6101255").PN.	USPAT; USOCR
7	1	("6141422").PN.	USPAT; USOCR
8	193	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	("6477646").PN.	USPAT; USOCR
10	15	"4731843".URPN.	USPAT
11	1	("6378009").PN.	USPAT; USOCR
12	1	("6378021").PN.	USPAT; USOCR
13	1	("6378072").PN.	USPAT; USOCR
14	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or proress\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	11	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or proress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	40	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	1	meislahn and angelo.in.	USPAT
18	1	("4813024").PN.	USPAT; USOCR

	Hits	Search Text	DBs
19	7	"4813024".URPN.	USPAT
20	6	feyt.in. and benoit.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	418	kocher.in.	US-PGPUB; USPAT
22	1	kocher-paul.in.	US-PGPUB; USPAT
23	7	kocher.in. and (leak\$ near3 cryptograph\$2)	USPAT
24	3026	713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and @ad<"20000108"	US-PGPUB; USPAT
25	361	(713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))	US-PGPUB; USPAT
26	152	((713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT

	Hits	Search Text	DBs
27	96	((((713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing))) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))) and (parallel or simultaneous\$2)	US-PGPUB; USPAT
28	40	(713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal\$5 or monitor\$3))	US-PGPUB; USPAT
29	12	((713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal\$5 or monitor\$3))) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT
30	5	(713/172,174,192,193,200,340;380/29-30;705/65.ccls. and @ad<"20000108") and ("differential power analysis" or dpa)	US-PGPUB; USPAT
31	22	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	84	((random near3 (assign\$3 or select\$3)) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
33	55	((multiple or plural\$3 or second or other) near2 processor\$2) with cryptograph\$2 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	0	S126 and ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	1	S126 and ("differential power analysis" or dpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	14	S126 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	4	("5410726" "5423044" "5530753" "5675724").PN.	USPAT
38	0	"6047375".URPN.	USPAT
39	128	(parallel or simultaneous\$2) near3 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (process\$3 or operation\$1 or function\$1) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	16	"4731843".URPN.	USPAT
41	0	((multiple or plural\$3 or second or other) near2 processor\$2) same ((dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or functions or task\$1 or proses\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	8	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (operation\$1 or functions or task\$1 or prosess\$3) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	25	(dummy or fake) near5 (cryptograph\$2 or encrypt\$3 or decrypt\$3) near5 (key\$1 or random near2 (value\$1 or number\$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	8	"4813024".URPN.	USPAT
45	3939	713/172,174,192,193,200,340;380/ 29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT
46	201	S139 and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) and ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT
47	28	S139 and (((multiple or plural\$3 or second or other) near2 processor\$1) or multiprocessor\$1 or (parallel near3 processing)) same ((cryptograph\$2 or encrypt\$3 or decrypt\$3) near3 (operation\$1 or processing or function\$1 or task\$1))	US-PGPUB; USPAT
48	54	S139 and ("power consumption" near5 (anal\$5 or monitor\$3))	US-PGPUB; USPAT

	Hits	Search Text	DBs
49	23	S143 and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT
50	19	("4641346" "4641347" "4725718" "4757537" "4775246" "4802218" "4831555" "4853961" "4932053" "4997288" "5500601" "5533123" "5995629" "6154734" "6327661" "6419159" "6498404" "6510518" "6594760").PN.	US-PGPUB; USPAT; USOCR
51	32	("4932053").URPN.	USPAT
52	4	("4932053" "5594493" "5796083" "5815577").PN.	US-PGPUB; USPAT; USOCR
53	50	ugon-michel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	23	S139 and ("power consumption" near5 (anal\$5 or monitor\$3)) and ((extract\$3 or obtain\$3) near3 (secret or key\$1 or information))	US-PGPUB; USPAT
55	15	S139 and ("differential power analysis" or dpa)	US-PGPUB; USPAT
56	12	kocher.in. and (leak\$ near3 cryptograph\$2)	US-PGPUB; USPAT
57	25	(complementary near3 operation\$1) same (cryptograph\$2 or encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	57	((random near3 (assign\$3 or select\$3)) with \$processor\$1) and (cryptograph\$2 or encrypt\$3 or decrypt\$3) and (@ad<"20001227" or @rlad<"20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB